



XC6153

Full-featured A4 Color Copier



Affordable in-house color production



Productivity boosting speed, functionality and reliability



Workflow smoothing solutions and flexibility



Sensitive data stays secure



Cut costs while being environmentally responsible

This is a Class A device according to international electromagnetic emissions standards (i.e. FCC Rules, EN 55022/EN 55032, etc.). Class A products are intended for use in non-residential/non-domestic environments. Use of a Class A product in residential/domestic environments may cause interference to radio communications and require corrective measures.



Get more power and save money



Save time with the XC6153's* integrated software and solutions. Stay productive with print and scanning speeds fast enough to keep work moving. Look sharp with gorgeous color and finishing options.

- ▶ Copier capabilities in an affordable, space-saving device
- ▶ Up to 52 pages per minute† print speeds
- ▶ Spend less time on supplies with high-yield toner capacity and shake-free science
- ▶ In-line staple finisher

Quick speed for productivity with the functionality and reliability you need

Productivity stays high when even large color print jobs complete quickly. With copier-like print speeds of up to 52 ppm the XC6153 keeps you going.

Minimize wait time when a job is complete before you even leave your chair with the XC6153's ability to print a single color page in as little as 7 seconds.

Spend less and power through complex print jobs with large, high-resolution photos and graphics. The powerful standard print controller has the processing power you need built-in. Compare that to expensive add-on third-party print controllers.

Digital workflows and paper documents won't slow you down. The XC6153 scans up to 120 images per minute, combined with the powerful quad-core processor, your information is captured and made available to you and your network applications fast.

Work from wherever, print whenever you want with mobile printing from iOS, Android and Windows Mobile devices and optional wireless and NFC direct mobile printing from smartphones and tablets. The XC6153 is also Google Cloud Print, Apple Airprint and Mopria ready.

Better access for all with the tilting eTask panel that makes the interface viewable for users at all heights, drawers and paper guides that move effortlessly, and standard headphone jack and talk-back features to help users with limited vision engage with the device‡.

† Print and copy speeds measured in accordance with ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds.
‡ Meets advanced Section 508 and European Standard EN 301 549 guidelines for accessibility.



Look sharp for less with gorgeous color and professional finishing

Color so accurate and affordable, you can do everything in-house. You can match your brand colors and have accurate color output without having to pay a premium. Lexmark Color Replacement combines spot color and RGB replacement for precision matching of critical colors. PANTONE® calibration and embedded color sample pages help you nail perfect color at the design stage. Lexmark's 4800 color quality is ultra-sharp even at full speed.

More media choices makes your MFP multi-talented. From media as thick as 218 gsm to tissue-thin paper such as 60 gsm, and all the vinyl, labels, cardstock, envelopes, and banners in between, the XC6153 makes you shine.

Less hassle with a high input capacity comparable to light production A3 digital copiers. With up to 4,500 sheets of input capacity, paper is less likely to run out, so you don't have to wait or intervene to finish printing.

Improve your productivity with the XC6153 that keeps on running

- ▶ Toner cartridges yield up to 25,000 pages[§]
- ▶ Photoconductor lasts up to 175,000 pages
- ▶ No shake Unison™ Toner cartridges mean perfect prints to the last page without interruption

Advanced scanning technology

Connect your digital systems and your unstructured content with ease. The advanced scanning technology on the XC6153 makes it fast and hassle-free.

- ▶ Remove blank pages automatically
- ▶ Scan a stack of mixed sized originals at full speed
- ▶ Keep things fast and file sizes small with color detection that scans in mono if no color is found
- ▶ Reduce file sizes and maintain information accuracy with Mixed Raster Content (MRC) file compression
- ▶ Achieve accurate, high resolution images with Charged Coupled Device (CCD) sensors and five-piece optical glass lenses
- ▶ Don't waste time restarting a job. Page-level jam recovery picks up where the job left off



§ Based on approximately 5% print coverage. Actual yields may vary based on factors such as page coverage, image type, job size, print/copy/fax modes and duplexing.

Workflow smoothing solutions and flexibility

Bridge the gap between your paper documents and software systems with fully-configurable device-based apps. The built in productivity solutions future-proof your investment.

Standard device based apps shipping with this series include**:




AccuRead OCR

In less time than it takes to enter data manually, your organization can create searchable files or editable content using the included AccuRead OCR. Other vendors charge extra for this critical capability.



Scan Center

One app to send your scanned documents to multiple destinations simultaneously with optional delivery confirmations.



Forms and Favorites

Keep frequently used forms and documents easy to access and save money by eliminating preprinted forms.



Card Copy

Capture both sides of ID/credit cards, print on one side of paper and save to a network folder.



Address Book

Manage the device's internally stored user data, contacts and scan destinations from the e-Task touch screen or the embedded web server.

See the possibilities with our intuitive interface


Minimize the need for training with the familiar, modern, tablet-like capabilities of our eTask interface on a bright 7-inch class color touch screen. Use swipe and touch gestures to navigate the intuitive interface to access convenient features, including:

- ▶ Preview your entire print job
- ▶ Print Microsoft Office and other file types from USB or mobile devices
- ▶ Customize shortcuts and bookmarks
- ▶ Realize your return on investment with true integration
- ▶ Access corporate address book for quick document routing
- ▶ Enable user tracking, accounting and permissions for cost and print management

** Additional device-based apps may ship with the device and additional apps can be added.



XC6153



1. Intuitive color touch screen with new eTask interface

A bright 7-inch screen uses familiar swipe and touch gestures, minimizing training time to get users up to speed.



Up to 120 ipm

2. Advanced scanner with duplex automatic document feeder (ADF)

Save time by scanning both sides of your document in one pass with robust color scanning capabilities and an input capacity of up to 150 sheets.



3. Direct printing

Microsoft Office files and other document and image types print right from flash drives. You can even preview jobs on the eTask screen prior to printing.



4. Finishing options

Choose the staple finishing option to further enhance productivity.



5. Unison™ Toner system with long-life supplies

Unison™ Toner delivers consistently outstanding image quality plus long-life system reliability and amazing sustainability in a high-yield, no-shake design.



6. Software solutions

Combine device based capabilities with additionally purchased Lexmark fleet management tools and your existing software and technical infrastructure to form the Lexmark smart MFP ecosystem. Its adaptability future-proofs your investment in Lexmark color laser technology.



7. Expandable input

Print on multiple paper types and boost input capacity to 4,500 sheets.

Sensitive data stays secure

Authorize and authenticate who and what gets access to your network, along with remote monitoring and management.

Protect your device on all fronts with port and connection filtering to limit active access and encryption and wiping of the optional hard disk to secure sensitive print job data. Digital signatures on firmware updates keep hackers at bay.

Authentication to fit your protocols from badge readers, PIN or passwords. Once users are authenticated the connection to your network is fully secure.

Put a stop to data leaks on the optional hard disk with 256-bit AES encryption and encryption keys stored in the MFP's memory, not the hard disk. Data is almost impossible to read if the hard drive is removed.

Cut costs while being environmentally responsible

Save power with multiple power saving modes. Sleep mode uses less than 3.5 watts between jobs. Hibernate mode uses less than half a watt during scheduled on/off periods.

Save paper and toner with standard double-sided printing, printing images a lighter shade with the ColorSaver feature that still leaves text dark and readable and the Eco Copy solution are just some of the eco-friendly options.

Save energy and more with Lexmark Unison™ Toner that fuses at a lower temperature, requiring less energy. Through the free and easy Lexmark Cartridge Collection Program (LCCP), ship empty cartridges back to recycling centers for sustainable recycling.



Lexmark Sustainability

For Lexmark, commitment to the environment isn't a marketing tagline, it's a core value backed up by real action and results. We are forward thinking, innovative, and driven to sustain a healthy planet for generations to come. For our customers and partners we bring this passion, our leading technology and a deep understanding of industry-specific business processes to continuously improve their efficiency as well as our own.


Lexmark products meet globally recognized environmental standards^{††}.

- ▶ ENERGY STAR®
- ▶ Blue Angel
- ▶ EPEAT®

For more information on Lexmark's sustainability initiatives, visit csr.lexmark.com


^{††} ENERGY STAR for Imaging Equipment (EU RoHS and Section 4.3.1.1 of IEEE 1680.2-2.)

Ordering information



| | |
|------------|---|
| P/N | Laser Toner/Print Cartridge |
| 24B6511 | Black Toner Cartridge |
| 24B6508 | Cyan Toner Cartridge |
| 24B6509 | Magenta Toner Cartridge |
| 24B6510 | Yellow Toner Cartridge |
| 72K0P00 | Photoconductor 1-Pack |
| 72K0Q00 | Photoconductor 3-Pack |
| 72K0DK0 | Black Return Program Developer Unit |
| 72K0DV0 | Color (CMY) Return Program Developer Kit |
| 72K0DC0 | Cyan Return Program Developer Unit |
| 72K0DM0 | Magenta Return Program Developer Unit |
| 72K0DY0 | Yellow Return Program Developer Unit |
| 25A0013 | Staple Cartridges (3-pack) |
| 72K0W00 | Waste Toner Bottle |
| 72K0FK0 | Black Return Program Developer and Photoconductor Unit Pack |
| 72K0FV0 | Color (CMY) Return Program Developer Kit and Photoconductors Pack |
| P/N | Paper Handling |
| 21K0567 | 550-Sheet Tray |
| 21K0237 | 2200-Sheet Tray |
| 42K2000 | Inline Staple Finisher |
| P/N | Furniture |
| 57X9022 | 2GB x64 DDR3 RAM |
| 27X0400 | Hard Disk (320+GB) |
| 57X9801 | 256MB Flash Memory Card |
| 57X9814 | Korean Font Card |
| 57X9815 | Japanese Font Card |
| 57X9812 | S. Chinese Font Card |
| 57X9810 | T. Chinese Font Card |
| P/N | Application Solutions |
| 21K0127 | Forms and Bar Code Card |
| 21K0128 | Card for IPDS |
| 21K0129 | Card for PRESCRIBE |
| 57X0300 | Front Contact Authentication Module |
| 57X0301 | Front Contactless Authentication Module |
| P/N | Connectivity |
| 1021294 | 2-meter USB cable (RoHS) |
| 27X6510 | MarkNet N8370 802.11 a/b/g/n/ac Wireless Print Server |
| SPD0001 | Surge Protective Device, 110-120V |
| SPD0002 | Surge Protective Device, 220-240V |
| 57X7025 | Voice Guidance Kit |
| 57X7020 | English Keyboard Kit |
| 57X7021 | French Keyboard Kit |
| 57X7023 | German Keyboard Kit |
| 57X7022 | Italy Keyboard Kit |
| 57X7024 | Spain Keyboard Kit |
| P/N | User Replaceable Parts |
| 41X0246 | Fuser 110-120V |
| 41X0247 | Fuser 220-240V |
| 41X0248 | Fuser 100V |
| 41X0245 | Transfer Belt |
| 41X0249 | Separation Roller |
| 41X0154 | Transfer Roller |
| 41X0993 | Media Pick Roller |
| 41X0360 | ADF Separation Roller |
| 41X0358 | ADF Media Pick Roller |
| 41X0359 | ADF Feed Belt |
| 41X0xxx | Fuser Maintenance Letter |
| 41X0xxx | Fuser Maintenance A4 |
| 41X0xxx | Roller Maintenance Kit |
| 41X0xxx | ADF Maintenance Kit |





2200-Sheet High Capacity Tray

7-inch Color Touch Screen

100-Sheet Multipurpose Feeder

In-line Finisher*

500-Sheet Input

550-Sheet Tray*

550-Sheet Tray*

550-Sheet Tray

Caster Base*

- Standard
- Optional

*Standard on the Lexmark XC6153 model; optional on the XC6153de model.

| Product specifications | Lexmark XC6153 | Lexmark XC6153de |
|---|---|---|
| Printing | | |
| Display | Lexmark e-Task 7-inch (17.8 cm) color touch screen | |
| Print Speed: Up to ⁴ | Black: 52 ppm / Color: 52 ppm | |
| Time to First Page: As fast as | Black: 7 seconds / Color: 7 seconds | |
| Print Resolution | Black: 1200 x 1200 dpi, 4800 CQ (2400 x 600 dpi) / Color: 1200 x 1200 dpi, 4800 CQ (2400 x 600 dpi) | |
| Memory | Standard: 2048 MB / Maximum: 4096 MB | |
| Hard Disk | Included in configuration | |
| Recommended Monthly Page Volume ² | 2500 - 25000 pages | |
| Maximum Monthly Duty Cycle: Up to ³ | 200000 pages per month | |
| Copying | | |
| Copy Speed: Up to ⁴ | Black: 52 cpm / Color: 52 cpm | |
| Time to First Copy: As fast as | Black: 6.5 seconds / Color: 7.5 seconds | |
| Scanning | | |
| Scanner Type / ADF Scan | Flatbed scanner with ADF / DADF (single pass Duplex) | |
| A4/Ltr Duplex Scan Speed: Up to | Black: 114 / 120 sides per minute / Color: 114 / 120 sides per minute | |
| A4/Ltr Simplex Scan Speed: Up to | Black: 57 / 60 sides per minute / Color: 57 / 60 sides per minute | |
| ADF Paper Input Capacity: Up to | 150 pages 20 lb or 75 gsm bond | |
| Faxing | | |
| Modem Speed | ITU T.30, V.34 Half-Duplex, 33.6 Kbps | |
| Supplies⁷ | | |
| Laser Cartridge Yields (up to) ¹ | 25,000-page Black Extra High Yield Cartridge, 20,000-page Color (CMY) Extra High Yield Cartridges | |
| Photoconductor Estimated Yield: Up to ⁵ | 175000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage | |
| Developer Unit(s) Estimated Yield: Up to ⁵ | 300000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage | |
| Cartridge(s) Shipping with Product ⁸ | 8,000-page Black and Colour (CMYK) Return Program Toner Cartridges | |
| Paper Handling | | |
| Included Paper Handling | 550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 2 x 550-Sheet Tray, Inline Stapler, 300-Sheet Output Bin | 550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 300-Sheet Output Bin |
| Optional Paper Handling | 550-Sheet Tray, 2200-Sheet Tray | 550-Sheet Tray, Inline Stapler, 2200-Sheet Tray |
| Paper Input Capacity: Up to | Standard: 1750 pages 20 lb or 75 gsm bond / Maximum: 4500 pages 20 lb or 75 gsm bond | Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4500 pages 20 lb or 75 gsm bond |
| Paper Output Capacity: Up to | Standard: 300 pages 20 lb or 75 gsm bond / Maximum: 300 pages 20 lb or 75 gsm bond | |
| Media Types Supported | Card Stock, Dual Web Labels, Envelopes, Labels, Plain Paper, Polyester Labels, Vinyl Labels, Refer to the Paper & Specialty Media Guide | |
| Media Sizes Supported | 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C4 Envelope, C5 Envelope, DL Envelope, Index Card, Executive, Folio, JIS-B5, Legal, Letter, 4 x 6", Statement, Universal, Oficio, A6 | |
| General Information⁴ | | |
| Standard Ports | One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Two Front USB 2.0 Specification Hi-Speed Certified port (Type A) | |
| Optional Network Ports | Internal MarkNet N8360 802.11b/g/n Wireless, NFC | |
| Noise Level: Operating | Print: 55 dBA / Copy: 58 dBA / Scan: 55 dBA | |
| Specified Operating Environment | Humidity: 15 to 80% Relative Humidity, Temperature: 10 to 32°C (50 to 90°F), Altitude: 0 - 2896 Meters (9,500 Feet) | |
| Size (in. - H x W x D) / Weight (lb.) | 44.8 x 25.54 x 23.15 in. / 296.9 lb. | 30 x 22 x 23.15 in. / 181 lb. |

¹Average yield at approximately 5% print coverage per colour. ²Recommended Monthly Page Volume² is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³Maximum Monthly Duty Cycle³ is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁵Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁶Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁷Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details. ⁸ Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

This is a Class A device according to international electromagnetic emissions standards (i.e. FCC Rules, EN 55022/EN 55032, etc.). Class A products are intended for use in non-residential/non-domestic environments. Use of a Class A product in residential/domestic environments may cause interference to radio communications and require corrective measures.

© 2020 Lexmark. All rights reserved. Lexmark, the Lexmark logo and Unison are trademarks of Lexmark International, Inc., registered in the United States and/or other countries.

Apple and AirPrint are trademarks of Apple Inc., registered in the U.S. and other countries. Google Cloud Print is a trademark of Google, LLC. Mopria®, the Mopria® Logo, and the Mopria Alliance™ word mark and logo are registered and/or unregistered trademarks and service marks of Mopria Alliance, Inc. in the United States and other countries. Unauthorized use is strictly prohibited. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. EPEAT® is a trademark of the Green Electronics Council in the United States and other countries. All other trademarks are the property of their respective owners.

This product includes software developed by the OpenSSL Project for use in the Open SSL Toolkit (<http://www.openssl.org/>).

